


Halogen Lamp



Halogen Lamp

CP / KP / DPY / DTY



Halogen Lamp

CP / KP / DPY / DTY

	CP29	DPY	DTY	KP83/ 220V	KP83/ 240V	KP120H/ 120V	KP120H/ 230V	KP120H/ 240V	KP200/ 208V	KP200/ 220V	KP200/ 240V	KP240H/ 208V	KP240H/ 220V	KP240H/ 240V
Lamp Voltage [V]	220-240	120	120	220-230	240	120	220-230	240	208	220-230	240	208	220-230	240
Lamp Wattage [W]	5,000	4,900	10,000	10,000	10,000	12,000	12,000	12,000	20,000	20,000	20,000	24,000	24,000	24,000
Lighting Direction	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°	BD ±45°
Color Temperature [K]	3,200	3,200	3,200	3,200	3,200	3,400	3,400	3,300	3,200	3,200	3,200	3,400	3,400	3,400
Total Luminous Flux [lm]	135,000	142,100	290,000	280,000	280,000	400,000	400,000	360,000	580,000	580,000	580,000	800,000	800,000	800,000
Rating Life [hr]	350	200	500	500	500	150	130	130	400	400	400	150	150	150
A (Diameter)	65	65	85	85	85	85	85	85	103	103	103	105	103	103
Outer Size [mm]	B (L1)	280	270	410	405	405	410	410	410	560	560	560	560	560
C (L2)	165	165	254	254	254	254	254	254	354	354	354	354	354	354
Outline	Fig-1	Fig-1	Fig-2	Fig-3	Fig-3	Fig-2	Fig-2	Fig-2	Fig-4	Fig-4	Fig-4	Fig-4	Fig-4	Fig-4
Base	G38	G38	G38	G38	G38	G38	G38	G38	G38	G38	G38	G38	G38	G38
Note														

